

L Number	Hits	Search Text	DB	Time stamp
192	4	bluetooth same "IEEE802.11" same switch\$3	USPAT; US-PGPUB; EPO; JPO	2004/06/03 12:17
193	115	bluetooth same IEEE\$3 same switch\$3	USPAT; US-PGPUB; EPO; JPO	2004/06/03 13:01
196	93	bluetooth with IEEE\$3 same switch\$3	USPAT; US-PGPUB; EPO; JPO	2004/06/03 12:18
197	25	bluetooth with IEEE\$3 with switch\$3	USPAT; US-PGPUB; EPO; JPO	2004/06/03 12:26
200	0	20010010689.URPN.	USPAT	2004/06/03 12:22
201	0	interoperability and geert.in.	EPO	2004/06/03 12:26
202	628	geert.in.	EPO	2004/06/03 12:26
203	1	geert.in. and yan.in.	EPO	2004/06/03 12:45
206	83	switch\$3 with wireless adj protocol	USPAT; US-PGPUB; EPO; JPO	2004/06/03 12:58
207	0	switch\$3 with wireless adj protocol same interference	USPAT; US-PGPUB; EPO; JPO	2004/06/03 12:59
208	2	switch\$3 with wireless adj protocol and bluetooth and ieee\$3	USPAT; US-PGPUB; EPO; JPO	2004/06/03 13:00
209	4	bluetooth same IEEE\$3 same switch\$3 and @ad<20001027	USPAT; US-PGPUB; EPO; JPO	2004/06/03 13:04
210	247	bluetooth same IEEE\$3 same interference	USPAT; US-PGPUB; EPO; JPO	2004/06/03 13:04
212	0	bluetooth with IEEE\$3 with (interference incompatib\$5) same switch	USPAT; US-PGPUB; EPO; JPO	2004/06/03 13:05
213	2	bluetooth with IEEE\$3 with (interference incompatib\$5) same alternat\$3	USPAT; US-PGPUB; EPO; JPO	2004/06/03 13:05
211	42	bluetooth with IEEE\$3 with (interference incompatib\$5)	USPAT; US-PGPUB; EPO; JPO	2004/06/03 13:23
214	1	bluetooth with IEEE\$3 with deactivat\$3	USPAT; US-PGPUB; EPO; JPO	2004/06/03 13:24
215	1	wireless adj protocol with deactivat\$3	USPAT; US-PGPUB; EPO; JPO	2004/06/03 13:24
216	357	wireless with deactivat\$3	USPAT; US-PGPUB; EPO; JPO	2004/06/03 13:25
217	36	(bluetooth ieee\$3) with deactivat\$3	USPAT; US-PGPUB; EPO; JPO	2004/06/03 14:10
220	52	function adj key with deactivat\$3	USPAT; US-PGPUB; EPO; JPO	2004/06/03 13:39
223	3	function adj key with deactivat\$3 with (cycle cyclic)	USPAT; US-PGPUB; EPO; JPO	2004/06/03 13:39
226	2	(bluetooth ieee\$3) with deactivat\$3 with power	USPAT; US-PGPUB; EPO; JPO	2004/06/03 14:33
227	324	function adj key same interrupt	USPAT; US-PGPUB; EPO; JPO	2004/06/03 14:34
228	77	function adj key same interrupt same memory	USPAT; US-PGPUB; EPO; JPO	2004/06/03 14:34
229	9	function adj key same interrupt same memory same (hardware software)	USPAT; US-PGPUB; EPO; JPO	2004/06/03 14:55

230	10	interrupt same hardware near2 (insert\$3 withdraw\$2)	USPAT; US-PGPUB;	2004/06/03 15:01
231	1812	interrupt same hardware same (operating adj system)	EPO; JPO USPAT; US-PGPUB;	2004/06/03 15:27
232	1	(function adj key) same interrupt same hardware same (operating adj system)	EPO; JPO USPAT; US-PGPUB;	2004/06/03 15:02
233	1	simulated adj hardware adj (insert\$3 withdraw\$2)	EPO; JPO USPAT; US-PGPUB;	2004/06/03 15:04
236	87	key same interrupt same hardware same (operating adj system)	EPO; JPO USPAT; US-PGPUB;	2004/06/03 15:28
237	1	(function adj key) same interrupt same hardware same (operating adj system)	EPO; JPO USPAT; US-PGPUB;	2004/06/03 15:28
238	60	key same interrupt same hardware same (operating adj system) and @ad<20001027	EPO; JPO USPAT; US-PGPUB;	2004/06/03 15:29
-	1	"20020052181"	EPO; JPO USPAT; US-PGPUB	2004/01/06 08:14
-	203	"IEEE802.11"	USPAT; US-PGPUB	2004/01/05 14:44
-	100	"IEEE802.11" and bluetooth	USPAT; US-PGPUB	2004/01/05 13:31
-	62	"IEEE802.11" WITH bluetooth	USPAT; US-PGPUB	2004/01/05 14:39
-	3	("5636217" "5732074" "6167285").PN.	USPAT	2004/01/05 14:23
-	1	6452910.URPN.	USPAT	2004/01/05 14:25
-	38	("IEEE802.11" and bluetooth) not ("IEEE802.11" WITH bluetooth)	USPAT; US-PGPUB	2004/01/05 14:39
-	1917	IEEE adj "802.11"	USPAT; US-PGPUB	2004/01/05 14:45
-	648	(IEEE adj "802.11") with bluetooth	USPAT; US-PGPUB	2004/01/05 14:49
-	639	((IEEE adj "802.11") with bluetooth) not ("IEEE802.11" WITH bluetooth)	USPAT; US-PGPUB	2004/01/05 14:54
-	2	(IEEE adj "802.11") with bluetooth with switch	USPAT; US-PGPUB	2004/01/05 14:52
-	18	(IEEE adj "802.11") with bluetooth same switch	USPAT; US-PGPUB	2004/01/05 14:52
-	16	((IEEE adj "802.11") with bluetooth same switch) not ((IEEE adj "802.11") with bluetooth with switch)	USPAT; US-PGPUB	2004/01/05 14:52
-	26	((IEEE adj "802.11") with bluetooth) not ("IEEE802.11" WITH bluetooth) and @ad<20001027	USPAT; US-PGPUB	2004/01/05 15:07
-	62	((IEEE adj "802.11") with bluetooth) not ("IEEE802.11" WITH bluetooth) and @ad<20010410 and @ad>20001027	USPAT; US-PGPUB	2004/01/06 10:19
-	17	("4761822" "5276920" "5410738" "5420599" "5463406" "5507035" "5550554" "5715525" "5768691" "5794159" "5822693" "5982807" "5987033" "6005524" "6055422" "6138010" "6326926" "2001/0012282" "2002/0012381" "2002/0025778").PN.	USPAT	2004/01/05 15:20
-	0	6560443.URPN.	USPAT	2004/01/05 15:37
-	11187	key adj switch	USPAT; US-PGPUB	2004/01/05 15:45
-	502	(key adj switch) SAME (cycle cyclic)	USPAT; US-PGPUB	2004/01/05 15:46
-	5	(key adj switch) SAME (cycle cyclic) same (function adj key)	USPAT; US-PGPUB	2004/01/05 15:49
-	195	(key adj switch) with (cycle cyclic)	USPAT; US-PGPUB	2004/01/05 15:50
-	135	(function adj key) with (cycle cyclic)	USPAT; US-PGPUB	2004/01/05 15:50
-	66	(function adj key) with (cycle cyclic) same (LED indicator display)	USPAT; US-PGPUB	2004/01/05 15:51

-	50	wireless SAME (function adj key) same (switch switching)	USPAT; US-PGPUB	2004/01/06 08:14
-	1	4931789.pn.	USPAT; US-PGPUB	2004/01/06 08:23
-	98	(function adj key) with interrupt	USPAT; US-PGPUB	2004/01/06 10:43
-	31	(function adj key) with interrupt same (display LCD indicator)	USPAT; US-PGPUB	2004/01/06 10:26
-	1	(function adj key) with interrupt same (display LCD indicator) same (cycle cyclic)	USPAT; US-PGPUB	2004/01/06 10:26
-	1	(function adj key) with interrupt same (display LCD indicator) same (cycle cyclic repeatedly repeat multiple)	USPAT; US-PGPUB	2004/01/06 10:27
-	9	(function adj key) with interrupt same (display LCD indicator) same (cycle cyclic repeatedly repeat multiple mode)	USPAT; US-PGPUB	2004/01/06 10:39
-	1	(function adj key) with interrupt same (display LCD indicator) same (cycle cyclic repeatedly repeat multiple scroll scrolling)	USPAT; US-PGPUB	2004/01/06 10:39
-	9	(function adj key) with interrupt same software	USPAT; US-PGPUB	2004/01/06 10:43
-	280	(wireless adj communicat\$3) with driver	USPAT; US-PGPUB	2004/01/06 15:10
-	34	(wireless adj communicat\$3) with driver with software	USPAT; US-PGPUB	2004/01/06 15:24
-	13	wireless adj communicat\$3 adj driver	USPAT; US-PGPUB	2004/01/06 15:24
-	399	(LED (light emitting diode)) with indicator with ((different varyious varying) adj color)	USPAT; US-PGPUB	2004/01/07 13:16
-	264	(LED (light emitting diode)) with indicator with ((different varyious varying) adj color) and @ad<20001027	USPAT; US-PGPUB	2004/01/07 13:17
-	16338	(LED (light adj emitting adj diode)) with indicator	USPAT; US-PGPUB	2004/01/07 13:18
-	1342	(LED (light adj emitting adj diode)) with indicator same color	USPAT; US-PGPUB	2004/01/07 13:19
-	767	(LED (light adj emitting adj diode)) with indicator with color	USPAT; US-PGPUB	2004/01/07 13:19
-	97	(LED (light adj emitting adj diode)) with indicator with ((different various varying) adj color) and @ad<20001027	USPAT; US-PGPUB	2004/01/07 13:19